DeliGuard

Pet's health you can see+



Charlie

mixed breed, 8 years old

- Chronic diarrhea with an admixture of blood, responds to antibiotics,
- very often mucus-covered feces.

Patient's history

Tests

A baseline blood test, showed no abnormalities - a pancreatic - intestinal profile in which: TLI > 50 ng/ml; folic acid > 24 ng/ml; vitamin BI2 > I000 pg/ml, as well as cPL = 94I ug/l.

Diagnosis

Chronic pancreatitis. The patient was completely asymptomatic at the time of examination, excluding problems with stool consistency. This suggests immunoproliferative processes in the intestines.

Treatment

The owner consulted a nutritionist. DeliGuard was implemented and after some time butyrate supplement.

vet. Klaudia Derner

Results

After 4 weeks of DeliGuard administration

improved digestion and stool

better appetite

enhanced fur condition - shinier fur, minimal shedding



deliguard.net

DeliGuard

Pet's health you can see+



Ricco

Mixed breed, 12 years old

- Problem with recurrent diarrhea for 6 months (after changing the diet),
- increase in the number of bowel movements from 3 a day to 6 per walk, each subsequent stool is more and more loose,
- food allergies or intolerances.

Patient history

Diagnosis

The dog was diagnosed with perianal gland fistula.

Tests

Blood test with no abnormalities. Examination of the condition of the perianal gland.

Treatment

Due to perianal gland inflammation, amoxicillin, clavulanic acid and long-acting dexamethasone were applied. Diet change and DeliGuard supplementation were recommended.

vet. Klaudia Derner

Results

After 4 weeks of DeliGuard administration

- **obvious improvement in bowel movements and better bowel function**
- **3 defecations a day, solid brown stools**
- **significant increase in appetite**
- **the fur became shiny, soft and fluffy**



DeliGuard

Pet's health you can see+



Zira

Mixed breed, 10 years old

- Dog in good condition,
- repeated diarrhea and loose stools, especially after eating food fillers such as rice, groats,
- food intolerance, food allergy tests excluded many products from the Zira's diet.

Patient history

Disgnosis

The dog was diagnosed with food intolerance.

Tests

Zira was tested for food allergies, which excluded a number of products from her diet.

Treatment

An appropriate diet was introduced, but it did not bring any significant improvement in diarrhea. The diet was supplemented with DeliGuard liquid postbiotic. The chronic diarrhea subsided, but only occurred during walks, which was explained by the dog's excitement.

vet. Klaudia Derner

Results

After 4 weeks of DeliGuard administration


enhanced digestion and bowel movements

elimination of diarrhea and improvement in stool quality



DeliGuard

Pet's health you can see+



Scooby

Mixed breed, 8 years old

- Food intolerance, food allergy tests excluded many products from Scooby's diet,
- digestive issues like diarrhea and vomiting followed consumption of "forbidden" foods.

Patient history

Diagnosis

The dog was diagnosed with food intolerance (potatoes, peas, oats, soybeans, corn).

Tests

Scooby has passed allergy and food intolerance tests.

Treatment

An appropriate diet consisting of rabbit and pork.

Loose, light brown stool still observed on the implemented diet.

DeliGuard supplementation was introduced.

vet. Klaudia Derner

Results

After 4 weeks of DeliGuard administration

significant improvement in digestion and bowel movements

elimination of diarrhea and better stool quality



deliguard.net

DeliGuard

Pet's health you can see+



Sisi

Shih Tzu, 2 years and 8 months

- Problem with chronic diarrhea,
- pulpy, orange-yellow stools,
- periodic isolated vomiting,
- picky eater.

Numberous attempts were made to change the food without satisfactory results, the improvement was only visible for some time.

Patient history

Tests

Blood tests (pancreatic - intestinal profile) - folic acid at the upper limit of the norm (17,0 with a norm of 17,5 ng/ml) and increased vitamin B12 (927 pg/ml with a norm of up to 800).

Abdominal ultrasound: enlarged Peyer's patches in the large intestine.

Diagnosis

Ulcerative colitis or other enteropathies.

Fecal flotation and antigen (ELISA) testing for *Giardia spp.* - negative.

Treatment

Antibiotic therapy (amoxicillin, clavulanic acid and metronidazole for a period of 2 weeks) resulted in a significant improvement in the condition. DeliGuard was also introduced during antibiotic therapy. A few days after stopping the antibiotic, looser stools began to reappear.

vet. Klaudia Derner

Results

After 4 weeks of DeliGuard administration

decreased frequency of loose stools

significant improvement in appetite

better fur quality - back fur is more organized and does not tangle, with softer fur under the neck



deliguard.net

DeliGuard

Pet's health you can see+



Nuka

Mixed breed, 6 years old

- Problems with watery diarrhea, responds to antibiotics.

Patient history

Tests

Vitamin BI2 outside the reference range: 971 pg/ml (the norm is 800 pg/ml).

Diagnosis

Immunoproliferative processes in the intestines. Food intolerances.

Treatment

A diet change and DeliGuard supplementation were recommended.

vet. Klaudia Derner

Result

After 4 weeks of DeliGuard administration

significant improvement in digestion and bowel movements

diarrhea occurs less frequently and is milder
- no need to visit the vet or take antibiotics

enhanced fur quality - significantly reduced shedding



deliguard.net